

## DATASHEET ONE PHASE THREE PHASE TYPE 2 TO TYPE 2 EV EXTENSION CHARGING CABLE

www.fox-ess.com

## ONE PHASE THREE PHASE TYPE 2 TO TYPE 2 EV EXTENSION CHARGING CABLE

European Standard One Phase Three Phase Type 2 To Type 2 EV Extension Charging Cable is a reliable connection device used between electric vehicles and EV charger. It is used to charge electric vehicles with AC through the vehicle interface.

It is beautiful, safe and reliable, and has a high protection level.



ТҮРЕ	WB-IP3-AC1.0-32AS	WB-IP3-AC1.0-32AT
CABLE		
Cable type	3 x 6 mm² + 1 x 0.5 mm²	5 x 6 mm² + 1 x 0.5 mm²
Cable length	6.0 m	
ELECTRICAL PARAMETERS		
Rated Voltage	250V	480V
Rated Current	32A	
Insulation resistance	≥500MΩ	
Withstandvoltage	L N and PE >2000V AC L and 2000V AC	
MECHANICAL PARAMETERS		
Mated cycles	≥10000	
Mated force	<100N	
ENVIRONMENTAL PARAMETERS		
Operate Temperature	-30°C ~ 55°C	
Ingress Protection	IP55	
Flame Rating	UL94-V0	
STANDARD		
Certification	CE/T	UV

